Oecologia

Volume 82 1990

In Cooperation with the
International Association for Ecology (Intecol)

Editors in Chief

J.R. Ehleringer, Salt Lake City
C.H. Peterson, Morehead City
H. Remmert, Marburg
E.-D. Schulze, Bayreuth

Editorial Board

F.A. Bazzaz, Cambridge
F. Berendse, Wageningen
A. Bertsch, Marburg
P.J. den Boer, Wijster
M.M. Caldwell, Logan
F.S. Chapin III, Berkeley
L. Crowder, Raleigh
J.J. Gilbert, Hanover
J.L. Harper, Bangor
M.P. Hassell, Ascot
T. Hirose, Sendai
G.J. Kenagy, Seattle
J. Kingsolver, Seattle
C. Körner, Basel
O.L. Lange, Würzburg
J.H. Lawton, Ascot
S. Louda, Lincoln
P. Miles, Glen Osmond
H. Mooney, Stanford
D. Neumann, Köln
R. Oren, Durham
J.S. Pate, Nedsland
R.W. Pearcy, Davis
S.L. Pimm, Morehead City
M. Schaefer, Göttingen
Th.W. Schoener, Davis
J.A. Travis, Tallahassee
N.C. Turner, Wembley
P. Vitousek, Stanford
D. Waller, Madison
A. Watkinson, Norwich
T.C.R. White, Glen Osmond
W. Wieser, Innsbruck
H. Wolda, Panama
H. Ziegler, München
H. Zwölfer, Bayreuth

Springer International

Oecologia

Derived from *"Zeitschrift für Morphologie und Ökologie der Tiere", Oecologia* was founded in 1968, Volumes (1968–1982), and edited by H. Remmert. As of Volume 53 (1982) the journal has been edited by both H. Remmert and E.-D. Schulze. As of volume 81 (1989) the journal has been edited by J.R. Ehleringer, Salt Lake City, C.H. Peterson, Morehead City, H. Remmert, Marburg, E.-D. Schulze, Bayreuth.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $0.20 per page, or a minimum of US $1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0029-8549, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printers: Universitätsdruckerei H. Stürtz AG, Würzburg

© Springer-Verlag Berlin Heidelberg 1990

Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33

Contents

Ackerly DD, Jasieński M: Size-dependent variation of gender in high density stands of the monoecious annual, *Ambrosia artemisiifolia* (Asteraceae) 474
Anderson E → Dublin HT
Anderson JM → Willison TW
Andow DA, Prokrym DR: Plant structural complexity and host-finding by a parasitoid 162
Aplet GH: Alteration of earthworm community biomass by the alien *Myrica faya* in Hawai'i 414
Arcese P → Dublin HT

Bada JL, Peterson RO, Schimmelmann A, Hedges REM: Moose teeth as monitors of environmental isotopic parameters 102
Barnes PW, Beyschlag W, Ryel R, Flint SD, Caldwell MM: Plant competition for light analyzed with a multispecies canopy model. III. Influence of canopy structure in mixtures and monocultures of wheat and wild oat 560
Barnes PW → Beyschlag W
Barnes PW → Ryel RJ
Beach JH → Rickson FR
Benecke U → Schulze E-D
Benton MJ → Mundahl ND
Bergeron J-M, Brunet R, Jodoin L: Is space management of female meadow voles (*Microtus pennsylvanicus*) related to nutritive quality of plants? 531
Bertsch A → Schmitt U
Beyschlag W, Pfanz H: A fast method to detect the occurrence of nonhomogeneous distribution of stomatal aperture in heterobaric plant leaves. Experiments with *Arbutus unedo* L. during the diurnal course 52
Beyschlag W, Barnes PW, Ryel R, Caldwell MM, Flint SD: Plant competition for light analyzed with a multispecies canopy model. II. Influence of photosynthetic characteristics on mixtures of wheat and wild oat 374
Beyschlag W → Barnes PW
Beyschlag W → Ryel RJ
Bland JD, Temple SA: Effects of predation-risk on habitat use by Himalayan Snowcocks 187
Boeken B: Life histories of two desert species of the bulbous genus *Bellevalia*. The relation between biomass partitioning and water availability 172
Boer WF de, Prins HHT: Large herbivores that strive mightily but eat and drink as friends 264
Bongers F, Popma J: Leaf dynamics of seedlings of rain forest species in relation to canopy gaps 122
Borowicz VA, Fitter AH: Effects of endomycorrhizal infection, artificial herbivory, and parental cross on growth of *Lotus corniculatus* L. 402
Boutin S → Dublin HT
Breuer K, Melzer A: Heavy metal accumulation (lead and cadmium) and ion exchange in three species of *Sphagnaceae*. I. Main principles of heavy metal accumulation in *Sphagnaceae* 461
Breuer K, Melzer A: Heavy metal accumulation (lead and cadmium) and ion exchange in three species of *Sphagnaceae*. II. Chemical equilibrium of ion exchange and the selectivity of single ions 468
Brunet R → Bergeron J-M
Burgin AB → Krohne DT

Cain ML: Patterns of *Solidago altissima* ramet growth and mortality: the role of below-ground ramet connections 201
Caldwell MM → Barnes PW
Caldwell MM → Beyschlag W
Caldwell MM → Gold WG
Caldwell MM → Ryel RJ
Carey JR → Krainacker DA
Caswell H → Harvell CD
Cohen D → Novoplansky A
Connolly J, Wayne P, Murray R: Time course of plant-plant interactions in experimental mixtures of annuals: density, frequency, and nutrient effects 513
Cook CS → Ehleringer JR
Corlett RT, Lucas PW: Alternative seed-handling strategies in primates: seed-spitting by long-tailed macaques (*Macaca fascicularis*) 166
Crawley MJ → Gillman MP
Cresswell JE: How and why do nectar-foraging bumblebees initiate movements between inflorescences of wild bergamot *Monarda fistulosa* (Lamiaceae)? 450
Cresti M → Rickson FR

Dale JE → Felippe GM
Dangerfield JM, Telford SR: Breeding phenology, variation in reproductive effort and offspring size in a tropical population of the woodlouse *Porcellionides pruinosus* 251
Dougherty RL → Tenhunen JD
Dublin HT, Sinclair ARE, Boutin S, Anderson E, Jago M, Arcese P: Does competition regulate ungulate populations? Further evidence from Serengeti, Tanzania 283

Eason WR, Newman EI: Rapid cycling of nitrogen and phosphorus from dying roots of *Lolium perenne* 432
Ehleringer JR, Cook CS: Characteristics of *Encelia* species differing in leaf reflectance and transpiration rate under common garden conditions 484
Ehleringer JR → Nilsen ET
Eissenstat DM: A comparison of phosphorus and nitrogen transfer between plants of different phosphorus status 342

Felippe GM, Dale JE: The effects of phosphate supply on growth of plants from the Brasilian Cerrado: experiments with seedlings of the annual weed, *Bidens gardneri* Baker (Compositeae) and the tree, *Qualea grandiflora* (Mart.) (Vochysiaceae) 81
Fewell JH: Directional fidelity as a foraging constraint in the western harvester ant, *Pogonomyrmex occidentalis* 45
Fichtner K, Schulze E-D: Xylem water flow in tropical vines as measured by a steady state heating method 355
Findlay S, Jones CG: Exposure of cottonwood plants to ozone alters subsequent leaf decomposition 248
Fitter AH → Borowicz VA
Flint SD → Barnes PW
Flint SD → Beyschlag W
Flint SD → Ryel RJ
Forseth IN → Nilsen ET
Foster RB → Murawski DA
Franco AC, Nobel PS: Influences of root distribution and growth on predicted water uptake and interspecific competition 151
French AR: Age-class differences in the pattern of hibernation in yellow-bellied marmots, *Marmota flaviventris* 93
Fritz RS: Effects of genetic and environmental variation on resistance of willow to sawflies 325

Gebauer G → Widmann K
Gillman MP, Crawley MJ: A comparative evaluation of models of cinnabar moth dynamics 437
Gold WG, Caldwell MM: The effects of the spatial pattern of defoliation on regrowth of a tussock grass. III. Photosynthesis, canopy structure and light interception 12
Gracia CA → Stewart GR

Hamrick JL → Murawski DA
Hargeby A: Effects of pH, humic substances and animal interactions on survival and physiological status of *Asellus aquaticus* L. and *Gammarus pulex* (L.). A field experiment 348
Harley PC → Tenhunen JD
Harvell CD, Caswell H, Simpson P: Density effects in a colonial monoculture: experimental studies with a marine bryozoan (*Membranipora membranacea* L.) 227
Haukioja E, Ruohomäki K, Senn J, Suomela J, Walls M: Consequences of herbivory in the mountain birch (*Betula pubescens* ssp *tortuosa*): importance of the functional organization of the tree 238
Hay ME → Renaud PE
Hedges REM → Bada JL
Hegarty EE → Stewart GR
Henderson CB: The influence of seed ap-

parency, nutrient content and chemical defenses on dietary preference in *Dipodomys ordii* 333
Henson IE → Jensen CR
Hershey AE: Snail populations in arctic lakes: competition mediated by predation? 26
Hieber CS, Uetz GW: Colony size and parasitoid load in two species of colonial *Metepeira* spiders from Mexico (Araneae: Araneidae) 145
Howard JJ: Infidelity of leafcutting ants to host plants: resource heterogeneity or defense induction? 394
Hubbell SP → Murawski DA

Jago M → Dublin HT
Jaksić FM, Medel RG: Objective recognition of guilds: testing for statistically significant species clusters 87
Jasieński M → Ackerly DD
Jensen CR, Henson IE: Leaf water relations characteristics of *Lupinus angustifolius* and *L. cosentinii* 114
Jodoin L → Bergeron J-M
Johnson CD → Siemens DH
Jones CG → Findlay S
Jurik TW, Zhang H, Pleasants JM: Ecophysiological consequences of non-random leaf orientation in the prairie compass plant, *Silphium laciniatum* 180

Kalmring K → Weidemann S
Kappen L, Schroeter B, Sancho LG: Carbon dioxide exchange of Antarctic crustose lichens in situ measured with a CO_2/H_2O porometer 311
Karlson RH, Levitan DR: Recruitment-limitation in open populations of *Diadema antillarum*: an evaluation 40
Klepzig KD → Raffa KF
Krainacker DA, Carey JR: Male demographic constraints to extreme sex ratio in the twospotted spider mite 417
Krohne DT, Burgin AB: The scale of demographic heterogeneity in a population of *Peromyscus leucopus* 97

Lafargue F → Wahl M
Levitan DR → Karlson RH
Lightfoot DC, Whitford WG: Phytophagous insects enhance nitrogen flux in a desert creosotebush community 18
Lodge DM → Weber LM
Loiselle BA: Seeds in droppings of tropical fruit-eating birds: importance of considering seed composition 494
Lucas PW → Corlett RT

McCracken I → Schulze E-D
Medel RG → Jaksić FM
Melzer A → Breuer K
Mundahl ND, Benton MJ: Aspects of the thermal ecology of the rusty crayfish *Orconectes rusticus* (Girard) 210
Murawski DA, Hamrick JL, Hubbell SP, Foster RB: Mating systems of two Bombacaceous trees of a neotropical moist forest 501
Murray R, → Connolly J

Nentwig W: Stick insects (Phasmida) as prey of spiders: size, palatability and defence mechanisms in feeding tests 446
Newman EI → Eason WR
Nilsen ET, Sharifi MR, Rundel PW, Forseth IN, Ehleringer JR: Water relations of stem succulent trees in north-central Baja California 299
Nobel PS → Franco AC
Novoplansky A, Cohen D, Sachs T: How portulaca seedlings avoid their neighbours 490

Pennings SC: Multiple factors promoting narrow host range in the sea hare, *Aplysia californica* 192
Penry DL, Jumars PA: Gut architecture, digestive constraints and feeding ecology of deposit-feeding and carnivorous polychaetes 1
Peterson RO → Bada JL
Pfanz H → Beyschlag W
Pleasants JM → Jurik TW
Pollard SD: A methodological constraint influencing measurement of food intake rates in sucking predators 569
Popma J → Bongers F
Prins HHT → Boer WF de
Prokrym DR → Andow DA
Pyke DA: Comparative demography of co-occurring introduced and native tussock grasses: persistence and potential expansion 537

Raffa KF, Klepzig KD: Chiral escape of bark beetles from predators responding to a bark beetle pheromone Erratum 430
Raven JA → Surif MB
Rehder H → Widmann K
Renaud PE, Hay ME, Schmitt TM: Interactions of plant stress and herbivory: intraspecific variation in the susceptibility of a palatable versus an unpalatable seaweed to sea urchin grazing 217
Reynolds JF → Tenhunen JD
Rickson FR, Cresti M, Beach JH: Plant cells which aid in pollen digestion within a beetle's gut 424
Ritchie ME: Optimal foraging and fitness in Columbian ground squirrels 56
Rundel PW → Nilsen ET
Ruohomäki K → Haukioja E
Ryel RJ, Barnes PW, Beyschlag W, Caldwell MM, Flint SD: Plant competition for light analyzed with a multispecies canopy model. I. Model development and influence of enhanced UV-B conditions on photosynthesis in mixed wheat and wild oat canopies 304
Ryel R → Barnes PW
Ryel R → Beyschlag W

Sabelis MW: How to analyse prey preference when prey density varies? A new method to discriminate between effects of gut fullness and prey type composition 289
Sachs T → Novoplansky A
Sancho LG → Kappen L
Sassaman C → Weeks SC
Schaefer M: The soil fauna of a beech forest on limestone: trophic structure and energy budget 128
Schimmelmann A → Bada JL
Schmitt TM → Renaud PE
Schmitt U, Bertsch A: Do foraging bumblebees scent-mark food sources and does it matter? 137
Schoener TW: The geographical distribution of rarity: misinterpretation of atlas methods affects some empirical conclusions 567
Schroeter B → Kappen L
Schuhmacher H → Thiesmeier B
Schulze E-D, McCracken I, Zimmermann R, Benecke U: Performance of two *Picea abies* (L.) Karst. stands at different stages of decline. VIII. Photosynthesis and nutrition under polluted and clean air conditions of Germany and New Zealand 158
Schulze W, Schulze E-D: Insect capture and growth of the insectivorous *Drosera rotundifolia* L. 427
Schulze E-D → Fichtner K
Schulze E-D → Schulze W
Seibt U, Wickler W: The protective function of the compact silk nest of social *Stegodyphus* spiders (Araneae, Eresidae) 317
Senn J → Haukioja E
Serra AS → Tenhunen JD
Sharifi MR → Nilsen ET
Shmida A → Steinberger Y
Siemens DH, Johnson CD: Host-associated differences in fitness within and between populations of a seed beetle (Bruchidae): effects of plant variability 408
Simpson P → Harvell CD
Sinclair ARE → Dublin HT
Specht RL → Stewart GR
Splatt PR → Willison TW
Stamp NE: Growth versus molting time of caterpillars as a function of temperature, nutrient concentration and the phenolic rutin 107
Steinberger Y, Shmida A, Whitford WG: Decomposition along a rainfall gradient in the Judean desert, Israel 322
Stewart GR, Gracia CA, Hegarty EE, Specht RL: Nitrate reductase activity and chlorophyll content in sun leaves of subtropical Australian closed-forest (rainforest) and open-forest communities 544
Stiedl O → Weidemann S
Storaas T → Wegge P
Suomela J → Haukioja E
Surif MB, Raven JA: Photosynthetic gas exchange under emersed conditions in eulittoral and normally submersed members of the Fucales and the Laminariales: interpretation in relation to C isotope ratio and N and water use efficiency 68

Telford SR → Dangerfield JM
Temple SA → Bland JD

Tenhunen JD, Sala Serra A, Harley PC, Dougherty RL, Reynolds JF: Factors influencing carbon fixation and water use by mediterranean sclerophyll shrubs during summer drought 381
Thiesmeier B, Schuhmacher H: Causes of larval drift of the fire salamander, *Salamandra salamandra terrestris*, and its effects on population dynamics 259

Uetz GW → Hieber CS
Urabe J, Watanabe Y: Influence of food density on respiration rate of two crustacean plankters, *Daphnia galeata* and *Bosmina longirostris* 362

Wahl M, Lafargue F: Marine epibiosis. II. Reduced fouling on *Polysyncraton lacazei* (Didemnidae, Tunicata) and Proposal of an antifouling potential index 275
Walls M → Haukioja E
Watanabe Y → Urabe J
Wayne P → Connolly J
Weber LM, Lodge DM: Periphytic food and predatory crayfish: relative roles in determining snail distribution 33
Weeks SC, Sassaman C: Competition in phenotypically variable and uniform populations of the tadpole shrimp *Triops longicaudatus* (Notostraca: Triopsidae) 552
Wegge P, Storaas T: Nest loss in capercaillie and black grouse in relation to the small rodent cycle in southeast Norway 527
Weidemann S, Stiedl O, Kalmring K: Distribution and population density of the bushcricket *Decticus verrucivorus* in a damp-meadow biotope 369
Whitford WG → Lightfoot DC
Whitford WG → Steinberger Y
Wickler W → Seibt U
Widmann K, Gebauer G, Rehder H, Ziegler H: Biomass production and nitrogen contents of the CAM plants *Kalanchoe daigremontiana* and *K. tubiflora* in cultures with different nitrogen and water supply 478
Willison TW, Splatt PR, Anderson JM: Nutrient loading of a forest soil. A manipulative approach using rooted experimental chambers 507

Zhang H → Jurik TW
Ziegler H → Widmann K
Zimmermann R → Schulze E-D

Indexed in *Current Contents*

Index of key words

Acari Phytoseiidae 289
Acidification 348
Acid rain 158
Acquired chemical defense 192
Adaptation 484
Agropyron spicatum 537
Air pollution 158
Annuals 513
Antarctica 311
Antifouling potential index 275
Anti-herbivore defense 333
Apical dominance 238
Araneae 446
Araneidae 145
Area of search 162
Ascidian 275

Baja California 299
Beech forest 128
Behaviour 289
Below-ground biomass storage 172
Benomyl 402
Bergamot 450
Bidens gardneri 81
Biological invasion 414
Biomass partitioning 172
Biomass production 478
Bombacaceae 501
Bomb radiocarbon 102
Bootstrap 87
Boreal forest grouse 527
Bosmina 362
Brachysclereids 424
Breeding phenology 251
Bruchidae 408
Bryozoa 227
Bumblebees 450

California 87
CAM plants 478
Canopy gaps 122
Canopy model 374
Canopy photosynthesis 374
Canopy photosynthesis model 304
Canopy structure 12, 560
Capacitance 299
Carbon allocation 402
Carbon isotope ratio 68
Carnivores 1
Cation exchange 461
Cation exchange equilibrium 468
Cation leaching 507
Cerrado 81
Chaos 437
Chemical feeding deterrence 217
Chlorophyll content 544
Clipping 402
Clonal plants 201
Closed-forest (rainforest) 544
Cluster analysis 87
Colonial 145
Coloniality 227
Compass plant 180
Competition 26, 151, 264, 283, 342, 474
Competition, tadpole shrimp 552
Competition for light 560
Competitive interactions 348
Cottonwood 248
Crab spider 569
Crayfish predation 33
Ctenidae 446

C3 trees 299
Cyclanthera 355

Decapoda 210
Decomposition 248, 322
Defoliation 12, 342
Demography 97, 227, 417, 537
Density dependence 227
Density-independence 40
Deposit feeders 1
Desert 322
Desert ecology 484
Desert geophytes 172
Desert plants 151
Desert shrubs 18
Developmental plasticity 490
Dietary habits 333
Digestion 1
Disease 283
Distribution patterns 369
Driving variables 437
Drosera 427

Earthworms 414
East Africa 264
Emersed photosynthesis 68
Energetics 93
Energy budget 128
Energy intake 56
Environmental signals 490
Epibiosis 275
Epibiotic parameters 275
Estimating extraction rates 569
Evolution of sex 552

Facilitation 26
Facilitation 264
Far-red light 490

Fecundity 251
Feeding mechanism 569
Feeding tests 446
Females 531
Fitness 56
Fitness in bruchid beetles 408
Food concentration 362
Food quality 107, 531
Food selection 531
Foraging 450
Foraging behavior 333
Foraging constraints 45
Foraging-efficiency 137
Forest soils 507
Fruit-eating birds 494
Fucales 68

Galls 325
Gender 474
Genotype 325
Genotype-environment interaction 325
Giving-up-time 162
Gradient 322
Grass 432
Ground squirrels 56
Growth 201, 210
Growth phase 107
Growth rate 56
Guild 87
Gut morphology 1

Habitat overlap 264
Habitat selection 187
Haematomma erythromma 311
Hawai'i 414
Heavy metal accumulation 461, 468

Herbivores 264
Herbivory 394
Hibernation 93
Himalayan Snowcock 187
Host plant resistance 325
Host range 192

Inbred lines 552
Induced amelioration 238
Induced defence 238
Induced defenses 394
Infiltration method 52
Insect capture 427
Insectivorous plants 427
Insects 18
Intraspecific competition 201
Ion Selectivities 461
Ion selectivities 468
Isotope chronologies 102

Kangaroo rat 333, 26

Laminariales 68
Leaf area index LAI 560
Leaf azimuth 180
Leaf chemistry 394
Leaf conductance 478
Leaf dynamics 122
Leaf growth 427
Leaf inclination 180, 560
Leaf pubescence 484
Leaf reflectance 484
Leaf Specific Area 544
Lichens 311
Light competition 374
Light interception 12

Male reproduction 417
Marmot 93
Mating system 501
Mediterranean sclerophylls 52
Methodological constraints 569
Mineral nutrition 81
Model 381
Modularity 238
Molt phase 107
Mull soil 128
Multispecies canopy model 304

Nectar 450
Nest loss 527
Nest predation 527
Net biomass production 172
Nitrate reductase 544
Nitrification 507
Nitrogen 248
Nitrogen cycling 18
Nitrogen dynamics 414
Nitrogen loading 507
Nitrogen storage 427
Nitrogen use efficiency 68, 478
Norway spruce 507
Nutrient cycling 342, 432
Nutrient transfer 342
Nutrition 158, 513

Offspring size 251
Open-forest 544
Open populations 40
Optimal foraging 56
Optimal foraging theory 450
Osmotic adjustment 114
Ozone 248

Palmae 424
Panama 501
Parasitoids 145
Periphyton 33
Phasmida 446
Phosphorus 81, 432
Photosynthesis 12, 158, 180, 381
Physiological status 348
Phytochrome 490
Plant competition 490, 513
Plant-herbivore interactions 192, 217
Plant introductions 537
Plant variability 408
Pollination 424
Polychaetes 1
Population density 369
Population dynamics 437
Population regulation 97
Predation 26, 107, 289
Predation risk 187
Predator assemblage 87
Pressure volume curves 114
Prey preference 289
Primates 166
Protection 317

Rainfall 322
Rain forest 501
Recruitment-limitation 40
Regulation 283
Reproductive biomass 172
Respiration rate 362
Rhizome 201
Roots 151, 432
Root-shoot interaction 381
Route fidelity 45

Sawflies 325
Scaling 97
Scarabaeidae 424
Scent marking 137
Sclerophyllous plants 381
Searching efficiency 162
Seed bank 537
Seed beetles 408
Seed dispersal 166, 494
Seedling competition 494
Seedling growth 122
Seedling survival 537
Seed predation 537
Seed size 166
Selectivity coefficients 468
Serengeti 283
Serjania 355
Sex ratio 417
Shade tolerance 122
Silk nest 317
Site fidelity 369
Size hierarchy 474
Snail distribution 33
Snails 26
Social spider 317
Sociogenesis 317
Soil fauna 128
Soil water 151
Space management 531
Specialization 192
Specialization to specific hosts 408
Specific dynamic action 362
Sphagnaceae 461, 468
Spiders 145, 446
Stomata 381
Stomatal patchiness 52
Substrate preference 33
Succulent 299
Survival 210

Tangled bank 552
Teeth 102
Temperature selection 210
Territoriality 531
Tetraonids 527
Thermal conditions 107
Thermal tolerances 210
Tissue elasticity 114
Trophic structure 128
Tropical 251
Tropical deciduous forest 394
Tropical rain forest 122
Tropics 501
Turgor maintenance 114
Tussock grass 12, 537
Twospotted spider mite 417

Ungulates 283, 402

Vigilance 187
Vine 355
Vole cycle 527

Water availability 172
Water relations 151
Water supply 478
Water use efficiency 180
Wind-pollination 474
Woodlouse 251

Xylem water flow 355